


**ALLIEVA**



ONCOLOGY  
PRODUCTS

# ALLIEVA

## APRELIEVA- (FOSAPREPITANT DIMEGLUMINE FOR INJECTION 150 MG)



### Indications :

- **Chemotherapy Support:** Administered intravenously, it provides support during chemotherapy to mitigate the adverse effects of nausea and vomiting.
- **Extended Protection:** Offers extended protection against nausea and vomiting beyond the initial phase of chemotherapy treatment.
- **Enhanced Efficacy:** As a neurokinin-1 receptor antagonist, it enhances the efficacy of antiemetic regimens, improving patient comfort and compliance during cancer treatment.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

### Get More Info

Scan Here



info@allievapharma.com




+91-9667279510



www.allievapharma.com

# ALLIEVA

## BORTLIEVA- (BORTEZOMIB INJECTION IP 3.5MG)



### Indications :

- **Multiple Myeloma:** Used as a first-line treatment or in relapsed/refractory cases, it inhibits proteasome activity, inducing apoptosis in myeloma cells.
- **Mantle Cell Lymphoma:** Administered in relapsed/refractory mantle cell lymphoma, it interrupts cell cycle progression, leading to tumor regression.
- **Proteasome Inhibition:** By targeting proteasomes, it disrupts cellular processes crucial for cancer cell survival and proliferation.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com




+91-9667279510



www.allievapharma.com

# ALLIEVA

## CARBOLIEVA (CARBOPLATIN INJECTION IP 450MG)



## Indications :

- Carboplatin is approved to be used alone or with other drugs to treat: Ovarian cancer that is advanced.
- It is used with other chemotherapy as first-line treatment.
- It is used alone as palliative treatment for disease that has recurred (come back) after earlier chemotherapy.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## CARBOLIEVA (CARBOPLATIN INJECTION IP 150MG)



### Indications :

- Carboplatin is approved to be used alone or with other drugs to treat: Ovarian cancer that is advanced.
- It is used with other chemotherapy as first-line treatment.
- It is used alone as palliative treatment for disease that has recurred (come back) after earlier chemotherapy.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## CISLIEVA (CISPLATIN INJECTION IP 50MG)



## Indications :

- Cisplatin is used in the treatment of ovarian cancer, cervical cancer and testicular cancer. Cisplatin is an anti-cancer medication.
- It works by damaging the genetic material (DNA and RNA) of the cancer cells which stops their growth and multiplication.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## CISLIEVA (CISPLATIN INJECTION IP 10 MG)



## Indications :

- Cancers including testicular, ovarian, bladder, and lung cancer.
- It is used as part of chemotherapy regimens to inhibit cancer cell growth.
- Effective against metastatic tumors.
- Administered intravenously under medical supervision.
- May cause side effects like nausea, vomiting, and kidney toxicity.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## CYTLIEVA (CYTARABINE INJECTION BP 100 MG / 1 ML)



## Indications :

- Cytarabine Injection in combination with other approved anti-cancer drugs is indicated for remission induction in acute non-lymphocytic leukemia of adults and pediatric patients.
- It has also been found useful in the treatment of acute non-lymphocytic leukemia and the blast phase of chronic myelocytic leukemia.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## DOCELIEVA RTU (DOCETAXEL INJECTION IP 120/80/20 MG)



### Indications :

- Docetaxel (doe se TAX el) is a chemotherapy drug. It targets fast dividing cells, like cancer cells, and causes these cells to die.
- This medicine is used to treat many types of cancers like breast cancer, certain stomach cancers, head and neck cancer, lung cancer, and prostate cancer.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## GEMLIEVA (GEMCITABINE FOR INJECTION IP 200 MG)



### Indications :

- Gemcitabine is indicated for the treatment of locally advanced or metastatic bladder cancer in combination with cisplatin.
- Gemcitabine is indicated for treatment of patients with locally advanced or metastatic adenocarcinoma of the pancreas.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## GEMLIEVA (GEMCITABINE FOR INJECTION IP 1 G)



### Indications :

- Gemcitabine 1 gram is primarily indicated for the treatment of:
- **Pancreatic Cancer:** Used as a first-line treatment for locally advanced, unresectable, or metastatic pancreatic cancer.
- **Non-Small Cell Lung Cancer (NSCLC):** Administered in combination with cisplatin for inoperable, locally advanced, or metastatic NSCLC.
- **Bladder Cancer:** Employed in the treatment of transitional cell carcinoma of the bladder. **Breast Cancer:** Considered in some cases as part of combination therapy for metastatic breast cancer.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## IFOSLIEVA (IFOSFAMIDE FOR INJECTION IP 1G)



### Indications :

- **Drug Class:** Alkylating agent (chemotherapy drug).
- **Indications:** Used to treat testicular cancer, sarcomas, lymphomas, and pediatric cancers.
- **Mechanism of Action:** Disrupts DNA replication in cancer cells, preventing their growth.
- **Administration:** Intravenous injection, requires liver activation.
- **Side Effects:** Nausea, vomiting, bone marrow suppression, kidney and bladder toxicity.
- **Precaution:** Co-administered with Mesna to prevent hemorrhagic cystitis.
- **Importance:** Essential in oncology for treating aggressive cancers effectively.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## IFOSLIEVA (IFOSFAMIDE FOR INJECTION IP 2G)



### Indications :

- Ifosfamide is an alkylating and immunosuppressive agent used in chemotherapy for the treatment of cancers, including testicular cancer, ovarian cancer, cervical cancer, osteocarcinoma, bladder cancer, small cell lung cancer, and non-Hodgkin's lymphoma.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## IRILIEVA (IRINOTECAN HYDROCHLORIDE INJECTION 100 MG)



### Indications :

- Irinotecan is used alone or in combination with other medications to treat colon or rectal cancer (cancer that begins in the large intestine).
- Irinotecan is in a class of antineoplastic medications called topoisomerase I inhibitors. It works by stopping the growth of cancer cells.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## OXALIEVA (OXALIPLATIN INJECTION USP 100 MG / 50 ML)



### Indications :

- Oxaliplatin is a medication used to manage and treat metastatic colorectal cancer.
- It is a member of the platinum-based chemotherapeutic class of drugs and is indicated in the adjunctive treatment of stage III colorectal cancer after resection of the primary tumor and for the treatment of metastatic colorectal cancer.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## PACLIEVA (PACLITAXEL INJECTION IP 30/100/260/300 MG)



### Indications :

- Paclitaxel is a chemotherapy medication that destroys fast-dividing cancer cells.
- It treats several types of cancers including ovarian cancer, breast cancer and lung cancer.
- A healthcare provider will give you this medication by infusion into your vein in a hospital or clinic setting.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## VINLIEVA (VINCRIStINE SULPHATE INJECTION USP 1 MG)



### Indications :

- Vincristine holds FDA approval for the treatment of several malignancies, including ALL, Burkitt lymphoma, B-cell ALL, lymphoid blast crisis of chronic myeloid leukemia, neuroblastoma, rhabdomyosarcoma, Wilms tumor, and Hodgkin and non-Hodgkin lymphomas.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ZODLIEVA (ZOLEDRONIC ACID INJECTION IP 4 MG)



### Indications :

- Zoledronic acid injection is also used to treat Paget's disease of the bone in men and women.
- It is also used in men with osteoporosis and in women with osteoporosis who have gone through menopause.
- This medicine is used to reduce the risk of having more fractures in patients who have had a recent hip fracture.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ALLIE - HMG (MENOTROPIN FOR INJECTION IP 75 / 150 IU)



### Indications :

- Menotropin For Injection Ip is used in the treatment of infertility in women. It is also helpful in the treatment of male hypogonadism (delayed puberty, and low sperm count) and male infertility.
- It works by releasing the eggs from the ovary in women and by increasing the testosterone level in men.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## BENDALIEVA (BENDAMUSTINE HYDROCHLORIDE FOR INJECTION IP 100 MG)



### Indications :

- **Chronic Lymphocytic Leukemia (CLL):** First-line treatment to slow cancer cell growth in CLL patients.
- **Indolent Non-Hodgkin's Lymphoma (NHL):** For patients whose disease has progressed after treatment with rituximab or other antibody therapies.
- **Multiple Myeloma:** Occasionally used in certain treatment regimens.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ALIMLIEVA (PEMETREXED INJECTION IP) 100 MG



### Indications :

- Pemetrexed injection is used in combination with pembrolizumab and platinum cancer medicines as the first treatment of metastatic (cancer that has spread) non-squamous non-small cell lung cancer (NSCLC) with no EGFR or ALK gene mutations. It is also used together with cisplatin as the first treatment of advanced or metastatic, non-squamous NSCLC.
- This medicine is given only by or under the direct supervision of your doctor.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ALIMLIEVA (PEMETREXED INJECTION IP) 500 MG



### Indications :

- Pemetrexed injection is used in combination with pembrolizumab and platinum cancer medicines as the first treatment of metastatic (cancer that has spread) non-squamous non-small cell lung cancer (NSCLC) with no EGFR or ALK gene mutations. It is also used together with cisplatin as the first treatment of advanced or metastatic, non-squamous NSCLC.
- This medicine is given only by or under the direct supervision of your doctor.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## NAB- PACLIEVA (PACLITAXEL (PROTEIN - BOUND PARTICLES) FOR INJECTION SUSPENSION) 100MG



### Indications :

- **Metastatic Breast Cancer:** After failure of combination chemotherapy or relapse within 6 months of adjuvant chemotherapy.
- **Non-Small Cell Lung Cancer (NSCLC):** In combination with carboplatin for locally advanced or metastatic NSCLC.
- **Metastatic Pancreatic Cancer:** In combination with gemcitabine as first-line treatment.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## FALSOLIEVA (FULVESTRANT INJECTION 250MG/ 5 ML)



### Indications :

- **Hormone Receptor-Positive Breast Cancer:** For postmenopausal women with estrogen receptor-positive, HER2-negative advanced or metastatic breast cancer.
- **Disease Progression After Endocrine Therapy:** For use in patients whose disease has progressed following anti-estrogen treatments like tamoxifen or aromatase inhibitors.
- **First-Line Treatment:** Used in combination with other therapies for advanced breast cancer.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## CARFLIEVA (CARFILZOMIB FOR INJECTION 60MG)



### Indications :

- Carfilzomib is indicated for the treatment of adult patients with multiple myeloma who have received one or more prior lines of therapy.
- as a second-generation proteasome inhibitor, Carfilzomib offers a more selective and irreversible binding mechanism, improving efficacy in bortezomib-resistant or relapsed patients.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)





+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## LEUCOLIEVA (LEUCOVIRIN FOR INJECTION 50MG/300MG)



### Indications :

- Used to reduce the toxic effects of methotrexate in patients receiving high-dose methotrexate in osteosarcoma or other cancers.
- Indicated in the treatment of megaloblastic anemias due to folic acid deficiency, when oral therapy is not feasible.
- Acts as an antidote to reduce toxicity and counteract the effects of inadvertent methotrexate overdose.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## DOXLIEVA (DOXORUBICIN HYDROCHLORIDE INJECTION 50 MG)



### Indications :

- Used in the treatment of breast cancer, either alone or in combination with other anticancer medicines.
- Indicated for Hodgkin's and Non-Hodgkin's lymphomas as part of multi-drug chemotherapy regimens.
- Used in acute leukemias, including acute lymphoblastic leukemia (ALL) and acute myelogenous leukemia (AML).
- Indicated for soft tissue and bone sarcomas, including osteosarcoma and Ewing's sarcoma.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## TREXLIEVA (METHOTREXATE INJECTION 50 MG)



## Indications :

- Used in the treatment of acute lymphoblastic leukemia (ALL), especially in pediatric and adult oncology protocols.
- Indicated for non-Hodgkin's lymphoma and certain cases of Hodgkin's disease.
- Used in the management of osteosarcoma as part of high-dose methotrexate-based chemotherapy regimens.
- Indicated for breast cancer, head and neck cancers, and lung cancer in selected patients.
- Used in the treatment of choriocarcinoma and other gestational trophoblastic diseases.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## TREXLIEVA (METHOTREXATE INJECTION 500 MG)



### Indications :

- Used in the treatment of acute lymphoblastic leukemia (ALL), particularly in high-dose chemotherapy protocols.
- Indicated for non-Hodgkin's lymphoma and certain cases of Hodgkin's disease.
- Used in the management of osteosarcoma, where high-dose methotrexate is a standard part of therapy.
- Indicated for breast cancer, head and neck cancers, and lung cancer in selected patients.
- Used in choriocarcinoma and other gestational trophoblastic neoplasms.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## L-GANASELIEVA (L-ASPARAGINASE INJECTION 5000IU)



### Indications :

- Used in the treatment of acute lymphoblastic leukemia (ALL), particularly in high-dose chemotherapy protocols.
- Indicated for non-Hodgkin's lymphoma and certain cases of Hodgkin's disease.
- Used in the management of osteosarcoma, where high-dose methotrexate is a standard part of therapy.
- Indicated for breast cancer, head and neck cancers, and lung cancer in selected patients.
- Used in choriocarcinoma and other gestational trophoblastic neoplasms.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## L-GANASELIEVA (L-ASPARAGINASE INJECTION 10000IU)



### Indications :

- Treatment of Acute Lymphoblastic Leukemia (ALL)
- Part of combination chemotherapy regimens
- Used during induction therapy to achieve remission
- Used during consolidation and maintenance therapy
- Treatment of lymphoblastic lymphoma
- Effective in cancers with asparagine-dependent malignant cells



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## AZALIEVA (AZACITIDINE FOR INJECTION 100MG)



## Indications :

- Myelodysplastic Syndromes (MDS): Treatment for various subtypes, including refractory anemia and chronic myelomonocytic leukemia.
- Acute Myeloid Leukemia (AML): For patients with 20-30% bone marrow blasts and certain genetic mutations.
- Chronic Myelomonocytic Leukemia (CMML): As a disease-modifying treatment for this subtype of leukemia.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## DACTOLIEVA (DACTINOMYCIN FOR INJECTION 0.5MG)



## Indications :

- Used in the treatment of acute lymphoblastic leukemia (ALL), particularly in high-dose chemotherapy protocols.
- Indicated for non-Hodgkin's lymphoma and certain cases of Hodgkin's disease.
- Used in the management of osteosarcoma, where high-dose methotrexate is a standard part of therapy.
- Indicated for breast cancer, head and neck cancers, and lung cancer in selected patients.
- Used in choriocarcinoma and other gestational trophoblastic neoplasms.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## HYCALIEVA (TOPOTECAN INJECTION IP 2.5MG)



### Indications :

- Indications of HYCALIEVA (Topotecan Injection IP 2.5 mg):
- Recurrent or metastatic ovarian cancer after failure of first-line chemotherapy
- Small Cell Lung Cancer (SCLC) in patients with relapsed disease
- Advanced or recurrent cervical cancer (usually in combination with other anticancer drugs, e.g., cisplatin)



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ABIRALIEVA (ABIRATERONE ACETATE TABLETS IP 250 MG)



### Indications :

- Abiraterone is used in combination with prednisone to treat a certain type of prostate cancer that has spread to other parts of the body.
- Abiraterone is in a class of medications called androgen biosynthesis inhibitors. It works by decreasing the amount of certain hormones in the body.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ABIRALIEVA (ABIRATERONE ACETATE TABLETS IP 500 MG)



### Indications :

- Abiraterone is used in combination with prednisone to treat a certain type of prostate cancer that has spread to other parts of the body.
- Abiraterone is in a class of medications called androgen biosynthesis inhibitors. It works by decreasing the amount of certain hormones in the body.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ANALIEVA ( ANASTROZOLE TABLETS IP 1 MG)



### Indications:

- Treatment of hormone receptor-positive breast cancer in postmenopausal women.
- Adjuvant therapy to reduce the risk of breast cancer recurrence.
- Initial treatment or after tamoxifen therapy. Management of advanced breast cancer.
- Used in hormone-sensitive tumors.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## AXILIEVA (AXITINIB TABLETS 5 MG)



### Indications :

- Axitinib is used alone to treat advanced renal cell carcinoma (RCC, a type of cancer that begins in the cells of the kidneys) in people who have not been treated successfully with another medication.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## CAPELIEVA (CAPECITABINE TABLETS IP 500 MG)



### Indications :

- Capecitabine is a type of chemotherapy. It is used as a treatment for different types of cancer, including bowel cancer.
- You might have capecitabine on its own or with other chemotherapy drugs. You might also have it with radiotherapy.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## CAPELIEVA (CAPECITABINE DISPERSIBLE TABLETS IP 500 MG)



### Indications :

- **Indication:** Used for colorectal, breast, and gastric cancer treatment.
- **Mechanism:** Converts into fluorouracil (5-FU), disrupting cancer cell DNA synthesis.
- **Formulation:** Dispersible tablet for easy administration, beneficial for patients with swallowing difficulties.
- **Dosage:** As prescribed by oncologists, usually in cycles.
- **Side Effects:** May cause nausea, fatigue, diarrhea, and hand-foot syndrome.
- **Storage:** Keep in a cool, dry place, away from sunlight.
- **Precaution:** Requires medical supervision to manage side effects and optimize treatment.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## DASALIEVA ( DASATINIB TABLETS 50 MG)



### Indications :

- Treatment of chronic myeloid leukemia (CML) in adults and pediatric patients.
- Inhibits BCR-ABL tyrosine kinase activity.
- Used when imatinib is ineffective or not tolerated. Prescribed for specific types of leukemia.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ERLOLIEVA (ERLOTINIB TABLETS IP 150 MG)



### Indications :

- Erlotinib is used for the treatment of metastatic (cancer that has already spread) non-small cell lung cancer in patients who have certain types of abnormal epidermal growth factor (EGFR) gene mutations. Your doctor will perform a test before you take this medicine.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## IMALIEVA (IMATINIB TABLETS IP 400 MG)



### Indications :

- Imatinib is used to treat: chronic myeloid leukaemia (CML) Philadelphia chromosome positive acute lymphoblastic leukaemia (Ph+ALL) blood disorders, such as myelodysplastic and myeloproliferative conditions



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)



# ALLIEVA

## LETROLIEVA (LETROZOLE TABLETS IP 2.5 MG)



### Indications :

- Letrozole, given with ribociclib, is indicated to treat pre, peri, and postmenopausal women with HR+ and human epidermal growth factor 2 (HER2) negative advanced or metastatic breast cancer.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## MELIEVA (MELPHALAN TABLETS IP 2 MG)



### Indications :

- Melphalan is used to treat multiple myeloma (a type of cancer of the bone marrow).
- Melphalan is also used to treat a certain type of ovarian cancer (cancer that begins in the female reproductive organs where eggs are formed).
- Melphalan is in a class of medications called alkylating agents.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## SORALIEVA (SORAFENIB TABLETS IP 200 MG 30/120 TABLETS )



### Indications :

- Sorafenib is used to treat late-stage kidney cancer (advanced renal cell carcinoma), liver cancer (hepatocellular carcinoma) that cannot be treated by surgery, and differentiated thyroid cancer that has come back or spread to other parts of your body.
- Sorafenib is an antineoplastic (cancer) agent.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## APRELIEVA (APREPITANT CAPSULES IP 125 mg)



### Indications:

- Prevention of chemotherapy-induced nausea and vomiting (CINV).
- Used in combination with other antiemetic agents. Effective for both acute and delayed phases of CINV. Prescribed prior to chemotherapy.
- Provides improved control of nausea and vomiting in cancer patients undergoing chemotherapy.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)




+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## ENZALIEVA (ENZALUTAMIDE CAPSULES 40 MG)



### Indications :

- Enzalutamide is used to treat castration-resistant prostate cancer (prostate cancer that is resistant to medical or surgical treatments that lower testosterone), and metastatic castration-sensitive prostate cancer (prostate cancer that has spread to other parts of the body and responds to a hormone therapy or surgical



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## LENVALIEVA (LENVATINIB CAPSULES 4/10 MG)



### Indications :

- Lenvatinib is a multiple receptor tyrosine kinase inhibitor that is FDA-approved and indicated for the treatment of radioactive iodine-refractory differentiated thyroid cancer (DTC), unresectable hepatocellular carcinoma (HCC), and advanced renal cell carcinoma (RCC).



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## SUNITCAP ( SUNITINIB MALATE CAPSULES 50 MG)



### Indications :

- Advanced renal cell carcinoma (RCC) treatment. Gastrointestinal stromal tumor (GIST) management. Pancreatic neuroendocrine tumor (pNET) treatment.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## SUNITCAP ( SUNITINIB MALATE CAPSULES 12.5 MG)



### Indications :

- Sunitinib malate 12.5 mg capsules are indicated for the treatment of advanced renal cell carcinoma (RCC) to inhibit tumor growth.
- Used in gastrointestinal stromal tumor (GIST) management. May be prescribed for pancreatic neuroendocrine tumor (pNET) treatment.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## SUNITCAP ( SUNITINIB MALATE CAPSULES 25 MG)



### Indications :

- Sunitinib malate 25 mg capsules are prescribed for the treatment of advanced renal cell carcinoma (RCC), slowing tumor progression.
- Effective in managing gastrointestinal stromal tumors (GIST) by inhibiting cancer cell growth.



**CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA,  
GHAZIABAD, U.P.-201010.**

Get More  
Info  
Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## NINDALIEVA - (NINTEDANIB SOFTGEL CAPSULES 150 MG)



### Indications :

- Nintedanib is used to treat idiopathic pulmonary fibrosis (IPF; scarring of the lungs with an unknown cause).
- It is also used to treat certain types of chronic fibrosing interstitial lung diseases (ILD; an ongoing disease in which there is increased scarring of the lungs).



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

### Get More Info

Scan Here



[info@allievapharma.com](mailto:info@allievapharma.com)



+91-9667279510



[www.allievapharma.com](http://www.allievapharma.com)

# ALLIEVA

## TEMALIEVA (TEMOZOLOMIDE CAPSULES IP 20 MG, 100 MG/ 250 MG)



### Indications :

- Newly diagnosed glioblastoma multiforme (GBM)  
Used in combination with radiotherapy, Followed by maintenance treatment
- Refractory anaplastic astrocytoma  
After disease progression following chemotherapy
- Temozolomide capsules are used for treating certain aggressive brain tumors, particularly GBM and refractory anaplastic astrocytoma.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## LENALIEVA (LENALIDOMIDE CAPSULES 5MG, 10 MG, 25 MG)



## Indications :

- **Multiple Myeloma:** In combination with dexamethasone. As maintenance therapy following autologous stem cell transplantation.
- **Myelodysplastic Syndromes:** With deletion 5q cytogenetic abnormality.
- **Mantle Cell Lymphoma:** For patients whose disease has relapsed or progressed after two prior therapies, including bortezomib.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## PALBOLIEVA (PALBOCICLIB CAPSULES 125MG)



### Indications :

- HR+/HER2- advanced or metastatic breast cancer
- In combination with an aromatase inhibitor for initial therapy in postmenopausal women and men
- In combination with fulvestrant for patients with disease progression following endocrine therapy



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## PARIBLIEVA (OLAPARIB TABLETS 150 MG)



### Indications :

- Olaparib is used as maintenance treatment in patients with advanced ovarian cancer, fallopian tube cancer, or primary peritoneal cancer with a certain type of inherited (germline) or acquired (somatic) abnormal BRCA gene.
- This medication is used to treat certain cancers (such as breast, ovarian, fallopian tube, pancreatic, peritoneal cancer, prostate). Olaparib works by slowing or stopping the growth of cancer cells.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

### Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## BICALIEVA (BICALUTAMIDE TABLETS IP) 50 MG



### Indications :

- Bicalutamide is used together with a luteinizing hormone releasing hormone (LHRH) analog (eg, goserelin or leuprolide) to treat stage D2 metastatic prostate cancer (cancer that has spread) in men. Bicalutamide belongs to the group of medicines called antiandrogens. It works by blocking the effects of testosterone (a male hormone), which helps stop the growth and spread of cancer cells.
- This medicine is available only with your doctor's prescription.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## TROMLIEVA (Eltrombopag Olamine Tablets) 25MG /50 MG



### INDICATION & USAGE:

- **Chronic Immune Thrombocytopenia (ITP):**  
For adults and children ( $\geq 1$  year) with ITP unresponsive to corticosteroids, immunoglobulins, or splenectomy.
- **Thrombocytopenia in Hepatitis C:**  
For patients with chronic hepatitis C to improve platelet counts and enable antiviral therapy.
- **Severe Aplastic Anemia:**  
For adults with severe aplastic anemia unresponsive to immunosuppressive therapy.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

### Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## REGOLIEVA (Regorafenib Tablets BP 40 MG)



### INDICATION & USAGE:

- **Chronic Immune Thrombocytopenia (ITP):**  
For adults and children ( $\geq 1$  year) with ITP unresponsive to corticosteroids, immunoglobulins, or splenectomy.
- **Thrombocytopenia in Hepatitis C:**  
For patients with chronic hepatitis C to improve platelet counts and enable antiviral therapy.
- **Severe Aplastic Anemia:**  
For adults with severe aplastic anemia unresponsive to immunosuppressive therapy.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com




+91-9667279510



www.allievapharma.com

# ALLIEVA

## HYDLIEVA (HYDROXYUREA TABLETS BP 40 MG)



### INDICATION & USAGE:

- **Sickle Cell Disease (SCD):** To reduce the frequency of painful crises and the need for blood transfusions.
- **Chronic Myeloid Leukemia (CML):** Used in the management of certain myeloproliferative disorders.
- **Polycythemia Vera (PV) and Essential Thrombocythemia (ET):** To control high blood counts and reduce the risk of thrombosis.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com




+91-9667279510



www.allievapharma.com

# ALLIEVA

## ACALIEVA (ACALABRUTINIB CAPSULES 100 MG)



### INDICATION & USAGE:

- Chronic Lymphocytic Leukemia (CLL) / Small Lymphocytic Lymphoma (SLL)
- Mantle Cell Lymphoma (MCL) in patients who have received at least one prior therapy
- Taken orally, typically 100 mg twice daily (approximately every 12 hours), with or without food.
- Capsules should be swallowed whole with water; do not open, break, or chew.
- Continue treatment until disease progression or unacceptable toxicity.



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## GEFLIEVA (GEFITINIB TABLETS IP 250MG)



### INDICATION & USAGE:

- Treatment of Non-Small Cell Lung Cancer (NSCLC)
- Indicated for locally advanced or metastatic NSCLC
- For patients with EGFR (Epidermal Growth Factor Receptor) activating mutations
- Used as first-line therapy in EGFR-mutation positive NSCLC
- Used in patients who have progressed after prior chemotherapy



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## MEGESLIEVA (MEGESTROL TABLETS IP 160MG)



### INDICATION & USAGE:

- Treatment of anorexia, cachexia, or significant weight loss in cancer patients
- Management of AIDS-related wasting syndrome
- Palliative treatment of advanced breast cancer
- Palliative treatment of endometrial carcinoma
- Used to stimulate appetite and promote weight gain
- Helps improve nutritional status and quality of life in chronic illness
- Used as hormonal therapy in selected hormone-responsive cancer



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com

# ALLIEVA

## IMNOLIEVA (POMALIDOMIDE CAPSULES 2MG / 4MG)



## INDICATION & USAGE:

- Treatment of Multiple Myeloma
- Indicated in relapsed and refractory multiple myeloma
- For patients who have received at least two prior therapies
- Used in patients previously treated with lenalidomide and a proteasome inhibitor
- Administered in combination with dexamethasone
- For patients whose disease has progressed despite standard therapies



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com





# ALLIEVA

## DASALIEVA (DASATINIB TABLETS 50MG)



## INDICATION & USAGE:

- Treatment of Chronic Myeloid Leukemia (CML)
- Indicated for Philadelphia chromosome-positive (Ph+) CML
- Use in chronic, accelerated, or blast phases of CML
- Treatment of Acute Lymphoblastic Leukemia (ALL)
- Indicated for Philadelphia chromosome-positive (Ph+) ALL
- Used in patients resistant or intolerant to prior therapy, including imatinib
- Oral tyrosine kinase inhibitor (TKI) therapy for leukemia management



CORP OFFICE : 14/16/1, GROUND FLOOR,  
SAHIBABAD INDUSTRIAL AREA, GHAZIABAD,  
U.P.-201010.

Get More Info

Scan Here



info@allievapharma.com



+91-9667279510



www.allievapharma.com