


ALLIEVA



ONCOLOGY
PRODUCTS

ALLIEVA

APRELIEVA- (FOSAPREPITANT DIMEGLUMINE FOR INJECTION 150 MG)



Indications :

- **Chemotherapy Support:** Administered intravenously, it provides support during chemotherapy to mitigate the adverse effects of nausea and vomiting.
- **Extended Protection:** Offers extended protection against nausea and vomiting beyond the initial phase of chemotherapy treatment.
- **Enhanced Efficacy:** As a neurokinin-1 receptor antagonist, it enhances the efficacy of antiemetic regimens, improving patient comfort and compliance during cancer treatment.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here





 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


BORTLIEVA- (BORTEZOMIB INJECTION IP 2MG/3.5MG)



Indications :

- Multiple Myeloma: Used as a first-line treatment or in relapsed/refractory cases, it inhibits proteasome activity, inducing apoptosis in myeloma cells.
- Mantle Cell Lymphoma: Administered in relapsed/refractory mantle cell lymphoma, it interrupts cell cycle progression, leading to tumor regression.
- Proteasome Inhibition: By targeting proteasomes, it disrupts cellular processes crucial for cancer cell survival and proliferation.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.


 **MANUFACTURING SITE :-** PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

BENDALIEVA (BENDAMUSTINE HYDROCHLORIDE FOR INJECTION IP 100 MG)



Indications:

- Chronic Lymphocytic Leukemia (CLL): First-line treatment to slow cancer cell growth in CLL patients.
- Indolent Non-Hodgkin's Lymphoma (NHL): For patients whose disease has progressed after treatment with rituximab or other antibody therapies.
- Multiple Myeloma: Occasionally used in certain treatment regimens.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com




+91 8527661579



www.allievapharma.com

ALLIEVA

DOCELIEVA RTU (DOCETAXEL INJECTION IP 120/80/20 MG)



Indications :

- Docetaxel (doe se TAX el) is a chemotherapy drug. It targets fast dividing cells, like cancer cells, and causes these cells to die.
- This medicine is used to treat many types of cancers like breast cancer, certain stomach cancers, head and neck cancer, lung cancer, and prostate cancer.

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here





 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


GEMLIEVA (GEMCITABINE FOR INJECTION IP 200 MG/1G)



Indications :

- Gemcitabine is indicated for the treatment of locally advanced or metastatic bladder cancer in combination with cisplatin.
- Gemcitabine is indicated for treatment of patients with locally advanced or metastatic adenocarcinoma of the pancreas.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here





 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

IFOSLIEVA (IFOSFAMIDE FOR INJECTION IP 1G/2G)



Indications :

- **Drug Class:** Alkylating agent (chemotherapy drug).
- **Indications:** Used to treat testicular cancer, sarcomas, lymphomas, and pediatric cancers.
- **Mechanism of Action:** Disrupts DNA replication in cancer cells, preventing their growth.
- **Administration:** Intravenous injection, requires liver activation.
- **Side Effects:** Nausea, vomiting, bone marrow suppression, kidney and bladder toxicity.
- **Precaution:** Co-administered with Mesna to prevent hemorrhagic cystitis.
- **Importance:** Essential in oncology for treating aggressive cancers effectively.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

IRILIEVA (IRINOTECAN HYDROCHLORIDE INJECTION IP 100 MG)



Indications :

- Irinotecan is used alone or in combination with other medications to treat colon or rectal cancer (cancer that begins in the large intestine).
- Irinotecan is in a class of antineoplastic medications called topoisomerase I inhibitors. It works by stopping the growth of cancer cells.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

OXALIEVA (OXALIPLATIN INJECTION USP 100 MG / 50 ML)



Indications:

- Oxaliplatin is a medication used to manage and treat metastatic colorectal cancer.
- It is a member of the platinum-based chemotherapeutic class of drugs and is indicated in the adjunctive treatment of stage III colorectal cancer after resection of the primary tumor and for the treatment of metastatic colorectal cancer.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

PACLIEVA (PACLITAXEL INJECTION IP 30/100/260/300 MG)



Indications :

- Paclitaxel is a chemotherapy medication that destroys fast-dividing cancer cells.
- It treats several types of cancers including ovarian cancer, breast cancer and lung cancer.
- A healthcare provider will give you this medication by infusion into your vein in a hospital or clinic setting.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com





+91 8527661579



www.allievapharma.com

ALLIEVA

ALIMLIEVA (PEMETREXED INJECTION IP 100 MG/500MG)



Indications :

- Pemetrexed injection is used in combination with pembrolizumab and platinum cancer medicines as the first treatment of metastatic (cancer that has spread) non-squamous non-small cell lung cancer (NSCLC) with no EGFR or ALK gene mutations. It is also used together with cisplatin as the first treatment of advanced or metastatic, non-squamous NSCLC.
- This medicine is given only by or under the direct supervision of your doctor.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

NAB- PACLIEVA (PACLITAXEL (PROTEIN - BOUND PARTICLES) FOR INJECTION SUSPENSION 100MG)



Indications :

- Metastatic Breast Cancer: After failure of combination chemotherapy or relapse within 6 months of adjuvant chemotherapy.
- Non-Small Cell Lung Cancer (NSCLC): In combination with carboplatin for locally advanced or metastatic NSCLC.
- Metastatic Pancreatic Cancer: In combination with gemcitabine as first-line treatment.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


FALSOLIEVA (FULVESTRANT INJECTION 250MG/ 5 ML)



Indications :

- Hormone Receptor-Positive Breast Cancer: For postmenopausal women with estrogen receptor-positive, HER2-negative advanced or metastatic breast cancer.
- Disease Progression After Endocrine Therapy: For use in patients whose disease has progressed following anti-estrogen treatments like tamoxifen or aromatase inhibitors.
- First-Line Treatment: Used in combination with other therapies for advanced breast cancer.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

CARFLIEVA (CARFILZOMIB FOR INJECTION 30MG/60MG)



Indications:

- Carfilzomib is indicated for the treatment of adult patients with multiple myeloma who have received one or more prior lines of therapy.
- as a second-generation proteasome inhibitor, Carfilzomib offers a more selective and irreversible binding mechanism, improving efficacy in bortezomib-resistant or relapsed patients.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

LEUCOLIEVA (LEUCOVIRIN FOR INJECTION 50MG/300MG)



Indications :

- Used to reduce the toxic effects of methotrexate in patients receiving high-dose methotrexate in osteosarcoma or other cancers.
- Indicated in the treatment of megaloblastic anemias due to folic acid deficiency, when oral therapy is not feasible.
- Acts as an antidote to reduce toxicity and counteract the effects of inadvertent methotrexate overdose.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.


MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

DOXLIEVA (DOXORUBICIN HYDROCHLORIDE INJECTION 50 MG)



Indications :

- Used in the treatment of breast cancer, either alone or in combination with other anticancer medicines.
- Indicated for Hodgkin's and Non-Hodgkin's lymphomas as part of multi-drug chemotherapy regimens.
- Used in acute leukemias, including acute lymphoblastic leukemia (ALL) and acute myelogenous leukemia (AML).
- Indicated for soft tissue and bone sarcomas, including osteosarcoma and Ewing's sarcoma.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

TREXLIEVA (METHOTREXATE INJECTION IP 50MG/500MG)



Indications :

- Used in the treatment of acute lymphoblastic leukemia (ALL), especially in pediatric and adult oncology protocols.
- Indicated for non-Hodgkin's lymphoma and certain cases of Hodgkin's disease.
- Used in the management of osteosarcoma as part of high-dose methotrexate-based chemotherapy regimens.
- Indicated for breast cancer, head and neck cancers, and lung cancer in selected patients.
- Used in the treatment of choriocarcinoma and other gestational trophoblastic diseases.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA


L-GANASELIEVA (L-ASPARAGINASE FOR INJECTION 5000 IU/10000 IU)



Indications :

- Used in the treatment of acute lymphoblastic leukemia (ALL), particularly in high-dose chemotherapy protocols.
- Indicated for non-Hodgkin's lymphoma and certain cases of Hodgkin's disease.
- Used in the management of osteosarcoma, where high-dose methotrexate is a standard part of therapy.
- Indicated for breast cancer, head and neck cancers, and lung cancer in selected patients.
- Used in choriocarcinoma and other gestational trophoblastic neoplasms.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com




+91 8527661579



www.allievapharma.com


ALLIEVA


AZALIEVA (AZACITIDINE FOR INJECTION IP 100MG)



Indications :

- Myelodysplastic Syndromes (MDS): Treatment for various subtypes, including refractory anemia and chronic myelomonocytic leukemia.
- Acute Myeloid Leukemia (AML): For patients with 20-30% bone marrow blasts and certain genetic mutations.
- Chronic Myelomonocytic Leukemia (CMML): As a disease-modifying treatment for this subtype of leukemia.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

DACTOLIEVA (DACTINOMYCIN FOR INJECTION USP 0.5MG)



Indications :

- Used in the treatment of acute lymphoblastic leukemia (ALL), particularly in high-dose chemotherapy protocols.
- Indicated for non-Hodgkin's lymphoma and certain cases of Hodgkin's disease.
- Used in the management of osteosarcoma, where high-dose methotrexate is a standard part of therapy.
- Indicated for breast cancer, head and neck cancers, and lung cancer in selected patients.
- Used in choriocarcinoma and other gestational trophoblastic neoplasms.

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

HYCALIEVA (TOPOTECAN INJECTION IP 2.5MG)



Indications :

- Indications of HYCALIEVA (Topotecan Injection IP 2.5 mg):
- Recurrent or metastatic ovarian cancer after failure of first-line chemotherapy
- Small Cell Lung Cancer (SCLC) in patients with relapsed disease
- Advanced or recurrent cervical cancer (usually in combination with other anticancer drugs, e.g., cisplatin)



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com




+91 8527661579



www.allievapharma.com

ALLIEVA

NAVELIEVA (VINOURELBINE INJECTION IP 50 MG)



Indications :

- Treatment of Non-Small Cell Lung Cancer (NSCLC)
- Used in advanced or metastatic lung cancer
- Indicated as first-line or second-line chemotherapy
- Used as a single agent or in combination with other anticancer drugs
- Treatment of Metastatic Breast Cancer



**CORP OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.**

Get More
Info
Scan Here



info@allievapharma.com




+91-9667279510



www.allievapharma.com

ALLIEVA

VEPELIEVA (ETOPOSIDE INJECTION IP 100 MG)



Indications :

- Indicated for treatment of Small Cell Lung Cancer (SCLC)
- Used in combination therapy for Testicular Cancer
- Effective in management of advanced and metastatic cancers
- Used in various chemotherapy treatment protocols
- May be prescribed for Non-Hodgkin's Lymphoma
- Used in selected cases of Acute Leukemia
- Helpful in treatment of Ovarian Cancer



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

FLULIEVA (FLUDARABINE PHOSPHATE FOR INJECTION USP 50 MG)



Indications :

- Indicated for the treatment of Chronic Lymphocytic Leukemia in adult patients.
- Used in patients with B-cell Chronic Lymphocytic Leukemia who have not responded to or whose disease has progressed during standard therapy.
- Used in combination chemotherapy regimens for Non-Hodgkin Lymphoma.
- Employed in conditioning regimens prior to hematopoietic stem cell transplantation.
- Helps inhibit the growth and multiplication of malignant lymphocytes.

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here




 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

MOZOLIEVA (PLERIXAFOR INJECTION IP 20MG)



Indications :

- Used with Filgrastim (G-CSF) to mobilize hematopoietic stem cells for collection.
- Indicated in patients with Non-Hodgkin Lymphoma.
- Indicated in patients with Multiple Myeloma.
- Helps collect stem cells for autologous transplantation.
- Improves stem cell mobilization in poor mobilizers.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

ABIRALIEVA (ABIRATERONE ACETATE TABLETS IP 250 MG/500MG)



Indications :

- Abiraterone is used in combination with prednisone to treat a certain type of prostate cancer that has spread to other parts of the body.
- Abiraterone is in a class of medications called androgen biosynthesis inhibitors. It works by decreasing the amount of certain hormones in the body.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

ANALIEVA (ANASTROZOLE TABLETS IP 1 MG)



Indications:

- Treatment of hormone receptor-positive breast cancer in postmenopausal women.
- Adjuvant therapy to reduce the risk of breast cancer recurrence.
- Initial treatment or after tamoxifen therapy. Management of advanced breast cancer.
- Used in hormone-sensitive tumors.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

CAPELIEVA (CAPECITABINE TABLETS IP 500 MG)



Indications :

- Capecitabine is a type of chemotherapy. It is used as a treatment for different types of cancer, including bowel cancer.
- You might have capecitabine on its own or with other chemotherapy drugs. You might also have it with radiotherapy.

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


CAPELIEVA-DT (CAPECITABINE DISPERSIBLE TABLETS 500 MG)



Indications :

- **Indication:** Used for colorectal, breast, and gastric cancer treatment.
- **Mechanism:** Converts into fluorouracil (5-FU), disrupting cancer cell DNA synthesis.
- **Formulation:** Dispersible tablet for easy administration, beneficial for patients with swallowing difficulties.
- **Dosage:** As prescribed by oncologists, usually in cycles.
- **Side Effects:** May cause nausea, fatigue, diarrhea, and hand-foot syndrome.
- **Storage:** Keep in a cool, dry place, away from sunlight.
- **Precaution:** Requires medical supervision to manage side effects and optimize treatment.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

DASALIEVA (DASATINIB TABLETS 50 MG)



Indications :

- Treatment of Chronic Myeloid Leukemia (CML)
- Indicated for Philadelphia chromosome-positive (Ph+) CML
- Use in chronic, accelerated, or blast phases of CML
- Treatment of Acute Lymphoblastic Leukemia (ALL)
- Indicated for Philadelphia chromosome-positive (Ph+) ALL
- Used in patients resistant or intolerant to prior therapy, including imatinib
- Oral tyrosine kinase inhibitor (TKI) therapy for leukemia management



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

ERLOLIEVA (ERLOTINIB TABLETS IP 150 MG)



Indications :

- Erlotinib is used for the treatment of metastatic (cancer that has already spread) non-small cell lung cancer in patients who have certain types of abnormal epidermal growth factor (EGFR) gene mutations. Your doctor will perform a test before you take this medicine.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

IMALIEVA (IMATINIB TABLETS IP 400 MG)



Indications :

- Imatinib is used to treat: chronic myeloid leukaemia (CML) Philadelphia chromosome positive acute lymphoblastic leukaemia (Ph+ALL) blood disorders, such as myelodysplastic and myeloproliferative conditions



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

LAPALIEVA (LAPATINIB TABLETS IP 250 MG)



Indications :

- Lapatinib is used in combination with capecitabine to treat advanced or metastatic (cancer that has already spread) HER2- receptor positive breast cancer in patients who have received other cancer treatments (eg, anthracycline, taxane, trastuzumab) that did not work well.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

LETROLIEVA (LETROZOLE TABLETS IP 2.5 MG)



Indications :

- Letrozole, given with ribociclib, is indicated to treat pre, peri, and postmenopausal women with HR+ and human epidermal growth factor 2 (HER2) negative advanced or metastatic breast cancer.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

MELIEVA (MELPHALAN TABLETS IP 2 MG)



Indications :

- Melphalan is used to treat multiple myeloma (a type of cancer of the bone marrow).
- Melphalan is also used to treat a certain type of ovarian cancer (cancer that begins in the female reproductive organs where eggs are formed).
- Melphalan is in a class of medications called alkylating agents.



CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.



MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com

ALLIEVA

SORALIEVA (SORAFENIB TABLETS IP 200 MG)



Indications :

- Sorafenib is used to treat late-stage kidney cancer (advanced renal cell carcinoma), liver cancer (hepatocellular carcinoma) that cannot be treated by surgery, and differentiated thyroid cancer that has come back or spread to other parts of your body.
- Sorafenib is an antineoplastic (cancer) agent.

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

APRELIEVA (APREPITANT CAPSULES IP 125 MG)



Indications:

- Prevention of chemotherapy-induced nausea and vomiting (CINV).
- Used in combination with other antiemetic agents. Effective for both acute and delayed phases of CINV. Prescribed prior to chemotherapy.
- Provides improved control of nausea and vomiting in cancer patients undergoing chemotherapy.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


ENZALIEVA (ENZALUTAMIDE CAPSULES 40 MG)



Indications :

- Enzalutamide is used to treat castration-resistant prostate cancer (prostate cancer that is resistant to medical or surgical treatments that lower testosterone), and metastatic castration-sensitive prostate cancer (prostate cancer that has spread to other parts of the body and responds to a hormone therapy or surgical

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

ENZALIEVA (ENZALUTAMIDE TABLET 160 MG)



Indications :

- Treatment of metastatic castration-resistant Prostate Cancer.
- Treatment of non-metastatic castration-resistant prostate cancer.
- Treatment of metastatic hormone-sensitive prostate cancer.
- Used in patients receiving androgen deprivation therapy (ADT).
- Helps slow progression of advanced prostate cancer by blocking androgen receptor signaling.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

LENVALIEVA (LENVATINIB CAPSULES 4MG/10 MG)



Indications :

- Lenvatinib is a multiple receptor tyrosine kinase inhibitor that is FDA-approved and indicated for the treatment of radioactive iodine-refractory differentiated thyroid cancer (DTC), unresectable hepatocellular carcinoma (HCC), and advanced renal cell carcinoma (RCC).

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


SUNITCAP (SUNITINIB MALATE CAPSULES 12.5MG/ 25MG/ 50 MG)



Indications :

- Advanced renal cell carcinoma (RCC) treatment. Gastrointestinal stromal tumor (GIST) management. Pancreatic neuroendocrine tumor (pNET) treatment.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

NINDALIEVA (NINTEDANIB SOFTGELATIN CAPSULES 150 MG)



Indications :

- Nintedanib is used to treat idiopathic pulmonary fibrosis (IPF; scarring of the lungs with an unknown cause).
- It is also used to treat certain types of chronic fibrosing interstitial lung diseases (ILD; an ongoing disease in which there is increased scarring of the lungs).

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


TEMALIEVA (TEMOZOLOMIDE CAPSULES IP 20 MG/ 100 MG/ 250 MG)



Indications :

- Newly diagnosed glioblastoma multiforme (GBM)
Used in combination with radiotherapy, Followed by maintenance treatment
- Refractory anaplastic astrocytoma
After disease progression following chemotherapy
- Temozolomide capsules are used for treating certain aggressive brain tumors, particularly GBM and refractory anaplastic astrocytoma.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

LENALIEVA (LENALIDOMIDE CAPSULES 5MG, 10 MG, 25 MG)



Indications :

- Multiple Myeloma: In combination with dexamethasone. As maintenance therapy following autologous stem cell transplantation.
- Myelodysplastic Syndromes: With deletion 5q cytogenetic abnormality.
- Mantle Cell Lymphoma: For patients whose disease has relapsed or progressed after two prior therapies, including bortezomib.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

PALBOLIEVA (PALBOCICLIB CAPSULES 100MG/125MG)



Indications :

- HR+/HER2- advanced or metastatic breast cancer
- In combination with an aromatase inhibitor for initial therapy in postmenopausal women and men
- In combination with fulvestrant for patients with disease progression following endocrine therapy

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info
Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


PARIBLIEVA (OLAPARIB TABLETS 150 MG)



Indications :

- Olaparib is used as maintenance treatment in patients with advanced ovarian cancer, fallopian tube cancer, or primary peritoneal cancer with a certain type of inherited (germline) or acquired (somatic) abnormal BRCA gene.
- This medication is used to treat certain cancers (such as breast, ovarian, fallopian tube, pancreatic, peritoneal cancer, prostate). Olaparib works by slowing or stopping the growth of cancer cells.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

BICALIEVA (BICALUTAMIDE TABLETS IP 50 MG)



Indications :

- Bicalutamide is used together with a luteinizing hormone releasing hormone (LHRH) analog (eg, goserelin or leuprolide) to treat stage D2 metastatic prostate cancer (cancer that has spread) in men. Bicalutamide belongs to the group of medicines called antiandrogens. It works by blocking the effects of testosterone (a male hormone), which helps stop the growth and spread of cancer cells.
- This medicine is available only with your doctor's prescription.

CORP. OFFICE : 14/16/1, GROUND FLOOR, SAHIBABAD INDUSTRIAL AREA, GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-A, ELDECO SIDUL INDUSTRIAL PARK LTD. PHASE III, UTTARAKHAND DIST., INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com


ALLIEVA


TROMLIEVA (ELTROMBOPAG OLAMINE TABLETS 25MG /50 MG)



INDICATION:

- **Chronic Immune Thrombocytopenia (ITP):**
For adults and children (≥ 1 year) with ITP unresponsive to corticosteroids, immunoglobulins, or splenectomy.
- **Thrombocytopenia in Hepatitis C:**
For patients with chronic hepatitis C to improve platelet counts and enable antiviral therapy.
- **Severe Aplastic Anemia:**
For adults with severe aplastic anemia unresponsive to immunosuppressive therapy.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



info@allievapharma.com



+91 8527661579



www.allievapharma.com


ALLIEVA


REGOLIEVA (REGORAFENIB Tablets BP 40 MG)



INDICATION:

- **Chronic Immune Thrombocytopenia (ITP):**
For adults and children (≥ 1 year) with ITP unresponsive to corticosteroids, immunoglobulins, or splenectomy.
- **Thrombocytopenia in Hepatitis C:**
For patients with chronic hepatitis C to improve platelet counts and enable antiviral therapy.
- **Severe Aplastic Anemia:**
For adults with severe aplastic anemia unresponsive to immunosuppressive therapy.

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

HYDLIEVA (HYDROXYUREA CAPSULES IP 500 MG)



INDICATION :

- **Sickle Cell Disease (SCD):** To reduce the frequency of painful crises and the need for blood transfusions.
- **Chronic Myeloid Leukemia (CML):** Used in the management of certain myeloproliferative disorders.
- **Polycythemia Vera (PV) and Essential Thrombocythemia (ET):** To control high blood counts and reduce the risk of thrombosis.

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

ACALIEVA (ACALABRUTINIB CAPSULES 100 MG)



INDICATION:

- Chronic Lymphocytic Leukemia (CLL) / Small Lymphocytic Lymphoma (SLL)
- Mantle Cell Lymphoma (MCL) in patients who have received at least one prior therapy
- Taken orally, typically 100 mg twice daily (approximately every 12 hours), with or without food.
- Capsules should be swallowed whole with water; do not open, break, or chew.
- Continue treatment until disease progression or unacceptable toxicity.

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.


MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139


Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA


GEFLIEVA (GEFITINIB TABLETS IP 250MG)



INDICATION :

- Treatment of Non-Small Cell Lung Cancer (NSCLC)
- Indicated for locally advanced or metastatic NSCLC
- For patients with EGFR (Epidermal Growth Factor Receptor) activating mutations
- Used as first-line therapy in EGFR-mutation positive NSCLC
- Used in patients who have progressed after prior chemotherapy

 **CORP. OFFICE :** 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

 **MANUFACTURING SITE :-** PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

MEGESLIEVA (MEGESTROL TABLETS IP 160MG)



INDICATION :

- Treatment of anorexia, cachexia, or significant weight loss in cancer patients
- Management of AIDS-related wasting syndrome
- Palliative treatment of advanced breast cancer
- Palliative treatment of endometrial carcinoma
- Used to stimulate appetite and promote weight gain
- Helps improve nutritional status and quality of life in chronic illness
- Used as hormonal therapy in selected hormone-responsive cancer

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.


MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

IMNOLIEVA (POMALIDOMIDE CAPSULES 2MG / 4MG)



INDICATION:

- Treatment of Multiple Myeloma
- Indicated in relapsed and refractory multiple myeloma
- For patients who have received at least two prior therapies
- Used in patients previously treated with lenalidomide and a proteasome inhibitor
- Administered in combination with dexamethasone
- For patients whose disease has progressed despite standard therapies

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

CRIZLIEVA (CRIZOTINIB TABLETS IP 250MG)



INDICATION:

- Treatment of Non-Small Cell Lung Cancer (NSCLC)
- Indicated for locally advanced or metastatic NSCLC
- For patients with ALK (Anaplastic Lymphoma Kinase) gene rearrangements
- For patients with ROS1-positive NSCLC
- Used as first-line or subsequent therapy in eligible patients
- Oral targeted therapy for molecularly selected lung cancer patients
- Helps in disease control and progression-free survival in NSCLC


CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.


MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com

ALLIEVA

IBRULIEVA (IBRUTINIB CAPSULE 140MG)



INDICATION:

- Indicated for the treatment of Chronic Lymphocytic Leukemia and Small Lymphocytic Lymphoma.
- Used in Mantle Cell Lymphoma.
- Indicated for Waldenström Macroglobulinemia.
- Used in Marginal Zone Lymphoma after prior anti-CD20 therapy.
- Indicated for Chronic Graft-versus-Host Disease after failure of one or more systemic therapies.

CORP. OFFICE : 14/16/1, GROUND FLOOR,
SAHIBABAD INDUSTRIAL AREA,
GHAZIABAD, U.P.-201010.

MANUFACTURING SITE :- PLOT NO: C1-
A, ELDECO SIDUL INDUSTRIAL PARK
LTD. PHASE III, UTTARAKHAND DIST.,
INDIA - 263139

Get More Info

Scan Here



 info@allievapharma.com

 +91 8527661579

 www.allievapharma.com